

Amendments to the Specification

Please amend the paragraph starting on page 19, line 21, as follows:

The phosphine groups preferably contain two identical or different, preferably identical unsubstituted or substituted hydrocarbon radicals with 1 to 20, preferably 1 to 12 carbon atoms. Of the ditertiary diphosphines the ones that are especially preferred are those in which the two phosphine groups are two identical or different radicals selected from the group comprising linear or branched C₁-C₁₂ alkyl; C₅-C₁₂ cycloalkyl, C₅-C₁₂ cycloalkyl-CH₂-, phenyl or benzyl, unsubstituted or substituted with C₁-C₆ alkyl or C₁-C₆ alkoxy; or contain phenyl or benzyl substituted with halogen (for example F, Cl and Br), C₁-C₆ alkyl, C₁-C₆ haloalkyl (for example trifluoromethyl), C₁-C₆ alkoxy, C₁-C₆ haloalkoxy (for example trifluoromethoxy), (C₆H₅)₃Si, (C₁-C₁₂ alkyl)₃Si, -NH₂, -NH(C₁-C₁₂ alkyl), -NH(phenyl), -NH(benzyl), -N(C₁-C₁₂ alkyl)₂, -N(phenyl)₂, -N(benzyl)₂, morpholinyl, piperidinyl, pyrrolidinyl, piperazinyl, -ammonium-X₃⁻, -SO₃M₁, -CO₂M₁, -PO₃(M₁)₂ -PO₃M₁, or -CO₂-C₁-C₆ alkyl (for example -CO₂CH₃), where M₁ preferably represents an alkali metal or hydrogen, and X₃⁻ is the anion of a monobasic acid. M₁ preferably stands for H, Li, Na and K. X₃⁻ represents the anion of a monobasic acid, preferably Cl⁻, Br⁻, or the anion of a monocarboxylic acid, for example formiate, acetate, trichloroacetate or trifluoroacetate.

Please amend the paragraph starting on page 21, line 10, as follows:


The diphosphines preferably satisfy formula IV,




in which

R_4 , R_5 , R_7 and R_8 independently of one another represent a hydrocarbon radical with 1 to 20 carbon atoms which are unsubstituted or substituted with halogen, C_1-C_6 -alkyl, C_1-C_6 -haloalkyl, C_1-C_6 -alkoxy, C_1-C_6 -haloalkoxy, $(C_6H_5)_3Si$, $(C_1-C_{12}\text{-alkyl})_3Si$, $-NH_2$, $-NH(C_1-C_{12}\text{-alkyl})$, $-NH(phenyl)$, $-NH(benzyl)$, $-N(C_1-C_{12}\text{-alkyl})_2$, $-N(phenyl)_2$, $-N(benzyl)_2$, morpholinyl, piperidinyl, pyrrolidinyl, piperazinyl, -ammonium- X_3^- , $-SO_3M_1$, $-CO_2M_1$, $-PO_2(M_1)_2$, $-PO_3M_1$, or $-CO_2-C_1-C_6$ -alkyl, where M_1 represents an alkali metal or hydrogen, and X_3^- is the anion of a monobasic acid; or R_4 and R_5 and R_7 and R_8 respectively together denote tetramethylene, pentamethylene or 3-oxa-pentane-1,5-diyl, unsubstituted or substituted with halogen, C_1-C_6 -alkyl or C_1-C_6 -alkoxy, and R_6 is C_2-C_4 -alkylene, unsubstituted or substituted with C_1-C_6 -alkyl, C_1-C_6 -alkoxy, C_5 -cycloalkyl or C_6 -cycloalkyl, phenyl, naphthyl or benzyl; 1,2- or 1,3-cycloalkylene, 1,2- or 1,3-cycloalkenylene, 1,2- or 1,3-bicycloalkylene or 1,2- or 1,3-bicycloalkenylene with 4 to 10 carbon atoms, unsubstituted or substituted with C_1-C_6 -alkyl, phenyl or benzyl; 1,2- or 1,3-cycloalkylene, 1,2- or 1,3-cycloalkenylene, 1,2- or 1,3-bicycloalkylene or 1,2- or 1,3-bicycloalkenylene with 4 to 10 carbon atoms, unsubstituted or substituted with C_1-C_6 -alkyl, phenyl or benzyl, and attached at whose 1- and/or 2-position(s) or at whose 3-position is methylene or C_2-C_4 -alkylidene; 1,4-butylene, substituted in the 2,3-positions with $R_9R_{10}C(O^-)_2$, and in the 1- and/or 4-positions

unsubstituted or substituted with C₁-C₆-alkyl, phenyl or benzyl, and where R₉ and R₁₀ independently of one another represent hydrogen, C₁-C₆-alkyl, phenyl or benzyl; 3,4- or 2,4-pyrrolidinylene or methylene-4-pyrrolidine-4-yl, the N-Atom of which is substituted with hydrogen, C₁-C₁₂-alkyl, phenyl, benzyl, C₁-C₁₂-alkoxycarbonyl, C₁-C₈-acyl, C₁-C₁₂-alkylamino carbonyl; or 1,2-phenylene, 2-benzylene, 1,2-xylylene, 1,8-naphthylene, 2,2'-dinaphthylene or 2,2'-diphenylene, unsubstituted or substituted with halogen, -OH, C₁-C₆-alkyl, C₁-C₆-alkoxy, phenyl, benzyl, phenoxy or benzyloxy; or R₆ stands for a radical of the formulas





in which R₉ denotes hydrogen, C₁-C₈-alkyl, C₁-C₄-fluoroalkyl, unsubstituted phenyl or phenyl substituted with 1 to 3 F, Cl, Br, C₁-C₄-alkyl, C₁-C₄-alkoxy or fluoromethyl.